



Agricultural technology



Cable and CONNECTivity



Electrical agricultural equipment: Cable solutions for rough Environmental conditions.

Service life, reliability and process optimization go hand in hand with the continuous further development of agricultural equipment. Our cable solutions are designed for more agricultural operations and withstand harsh environmental conditions.

Decades of experience in design and application technology, combined with a strong sense of quality and environmental awareness give our customers the security to receive innovative and high-quality products, even for the highest requirements.

We have the know-how and broad portfolio to always offer the right solution.

TKD Product Overview

TKD is the distributor of Infinite Electronics, specialized in all types of cables.


TKD has decades of experience in design and application technology, combined with a strong awareness of quality and environment. This gives our customers the security of receiving innovative and high-quality products, even for the most demanding requirements.



Footprint in 8 countries, and active globally with our partner network.

Own branches in:

- Germany
- Belgium
- Netherlands
- Poland
- Italy
- France
- China
- USA



Globally active

Welcome to the product portfolio of TKD Kabel GmbH. We are one of the world's leading suppliers of cables, ready-to-connect cable systems and cable accessories.

Since 2023 we are part of Infinite Electronics, and since then a progressive and international player in the specialty cable and connectivity solutions market.

Infinite Electronics was formed from the merger of several successful companies in the cable and connectivity industry. The group of companies produces, distributes and assembles special cables as well as cable harnesses and accessories.



Distribution

knowledge company with added value in cables and accessories for wholesale and OEM customers with branches in the Netherlands, Belgium, Germany, Italy, Poland, France, China and the USA.



Assembly

customer-specific assembly of connectivity solutions for OEM customers with own locations in the Netherlands, Poland and Germany.



Production











the production of a wide range of special cables.



“

Around the world, our team members work urgently to provide connectivity solutions and support, giving our customers what they need, when they need it.

Contents at a glance

	Category	Page
	Application overview	6
	Product highlights Agricultural Technology	7
	Flexible control cables	9
	Electronic (LF), instrumentation & telecommunication cables Cables for intrinsically safe circuits	10
	BUS, LAN, coaxial & video cables	12
	Control and data cables – high flexible for use in drag chains & robotic applications	13
	Servo-drives, measurement & system cables - flexible & high flexible for use in drag chains and robot applications	14
	Rubber cables	15
	Cables and wires for fixed installation	15
	Service	16

Application overview

Whether control cables, motor connection cables or servo cables. In morn agricultural technology, data cables, BUS cables and various wiring cables are also required. In addition, we complement our portfolio with cable drag chain systems and connectivity solutions.



Milking robot

- Control cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Drag-Chain systems
- Connectivity solutions



Stationary Feeding Mixer

- Control cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Connectivity solutions



Robotics Auto-nomous systems

- Control cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Drag-Chain systems
- Connectivity solutions



Barn automation

- Control cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Drag-Chain systems
- Connectivity solutions



Animal Hygiene & Health

- Control cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Connectivity solutions



Pump & Mixing Systems

- Control cables
- Rubber cables
- Motor cables
- Servo cables
- Data cables
- BUS cables
- Single core wiring cables
- Connectivity solutions


Product highlights Agricultural Technology



H07RN-F

Heavy rubber cable

- For medium mechanical requirements
- Heat resistant up to +60°C, Cold resistant moved up to bis -30°C
- Rated voltage: 450/750 V



2-NORM 1.000 V

PVC-control cable grey + black


- Resistant to ammonia, oil, acids and bases
- Heat resistant up to +90 °C, cold resistant fixed up to -40 °C
- Black type: UV-resistant
- Rated voltage :UL/CSA: 1.000 V/ VDE: 300/500 V



H07RN-F Premium

Heavy rubber cable

- Suitable for permant use in water (no drinking water)
- fixed up to 100 m water depth
- Halogen-free, rubber-compound (LSOH)
- Heat resistant up to +90 °C, cold resistant moved up to bis -40 °C
- Rated voltage: 450/750 V



KAWEFLEX® Control Robust TPE

Media resistant cable

- Increased oil- and bio-oil resistant
- Heat resistant up to 80 °C, cold resistant moved up to -40 °C
- Increased oil- and bio-oil resistant
- Resistance to lactic acid, ammonia compounds and biogases
- Weather, UV- and ozone resistant
- Rated voltage: U_o/U: 300/500V



Our cable solutions for Agricultural Technology

Our high-quality cables have a crucial role in ensuring efficient and sustainable, agricultural production.

We understand that agriculture is a demanding environment where cables must be robust to withstand extreme conditions. Our cables are manufactured with high-quality materials and are specifically designed for durability, resistance to environmental conditions. They provide reliable power, data transmission and communication, even in harsh environments.

Our cables go through strict quality controls and are manufactured to international standards to ensure they meet the high demands of the agricultural industry. We work closely with farmers, agricultural engineers and other experts to understand the latest requirements and trends in the industry and continuously develop our cables.

We understand the importance of cables as fundamental infrastructure in agriculture and use our know-how and technology to develop innovative solutions that meet the needs of this dynamic industry, helping to modernize and improve agricultural processes.



PVC-control cables

ÖPVC-JB/OB	300/500V, 450/750V, 0,6/1kV, unshielded, CPR Eca
ÖPVC-JB/OB-ICY	300/500V, 0,6/1kV, shielded, transparent, CPR Eca
ÖPVC-JZ/OZ	300/500V, unshielded, CPR Eca
ÖPVC-JZ/OZ-Yö 1.000 V	450/750V (IEC), 1.000V (UL), unshielded UL/CSA
ÖPVC-JZ/OZ ARCTIC +UV Black	300/500V, unshielded, UV-resistant, cold flexible -60°C
ÖPVC-JZ/OZ-ICY	300/500V, shielded, transparent, CPR Eca
ÖPVC-JZ/OZ-CY (LIICY-JZ/OZ)	300/500V, shielded, CPR Eca
ÖPVC-JZ/OZ-CYö 1.000 V	450/750V (IEC), 1.000V (UL), shielded UL/CSA
ÖPVC-JB/OB-YSY	0,6/1kV, steel wire braid, CPR Eca
ÖPVC-JZ/OZ 0,6/1kV Black	0,6/1kV, unshielded, UV-resistant, CPR Eca
ÖPVC-JZ/OZ-ICY 0,6/1kV Black	0,6/1kV, shielded, UV-resistant, CPR Eca

Approved PVC-control cables

H05VV5-F	300/500V, unshielded, HAR, CPR Eca
H05VVC4V5-K	300/500V, shielded, HAR, CPR Eca
MULTINORM H05VV5-F, 2-NORM (H)05VV5-F	300/500V (IEC), 600V (UL), unshielded, HAR, UL/CSA, CPR Eca
MULTINORM-CY H05VVC4V5-K, 2-NORM-CY (H)05VVC4V5-K	300/500V (IEC), 600V (UL), unshielded, HAR, UL/CSA, CPR Eca
2-NORM +UV 1.000V Grey Black	300/500V (IEC), 1.000V (UL), unshielded, UL/CSA, CPR Eca
2-NORM-CY +UV 1.000V Grey Black	300/500V (IEC), 1.000V (UL), shielded, UL/CSA, CPR Eca
2-NORM TRAY TC-ER MTW Grey	0,6/1kV [IEC], 600V (UL:TC-ER & MTW), 1.000V (UL: WTTC & AWM), unshielded, grey, UL/CSA, CPR Eca
2-NORM TRAY-CY TC-ER MTW Grey	0,6/1kV [IEC], 600V (UL:TC-ER & MTW), 1.000V (UL: WTTC & AWM), shielded, grey, UL/CSA, CPR Eca
2-NORM TRAY+UV DB TC-ER MTW Black	0,6/1kV [IEC], 600V (UL:TC-ER & MTW), 1.000V (UL: WTTC & AWM), unshielded, black, UV-resistant, direct burial, UL/CSA, CPR Eca
2-NORM TRAY-CY+UV DB TC-ER MTW Black	0,6/1kV [IEC], 600V (UL:TC-ER & MTW), 1.000V (UL: WTTC & AWM), shielded, black, UV-resistant, direct burial, UL/CSA, CPR Eca

Halogen-free control cables

FLAME-JZ/OZ-H FRNC - Dca	300/500V, unshielded, CPR Dca
FLAME-JZ/OZ-H FRNC - Cca	300/500V, unshielded, CPR Cca
FLAME-JZ/OZ-CH FRNC - Dca	300/500V, shielded, CPR Dca
FLAME-JZ/OZ-CH FRNC - Cca or B2ca	300/500V, shielded, CPR Cca or B2ca

PUR-control cables, cables for hand-held machinery

PUR Grey & PUR Yellow (N)YMH11YÖ	300/500V, unshielded
KAWEFLEX® CONTROL YPUR	300/500V, unshielded
KAWEFLEX® CONTROL C-PUR Grey - (N)YMH11YÖ	300/500V, shielded
KAWEFLEX® CONTROL ROBUST TPE	300/500V, unshielded, black, cold flexible
KAWEFLEX® CONTROL ROBUST C-TPE	300/500V, shielded, black, cold flexible

Electronic (LF), instrumentation & telecommunication cables

Cables for intrinsically safe circuits

Electronic cables

ELITRONIC® LIYY	DIN47100, 250V, unshielded, CPR Eca
ELITRONIC®-CY LIYCY	DIN47100, 250V, shielded, CPR Eca
PAARTRONIC®-CY LIYCY (TP)	DIN47100, 250V, twisted pairs, shielded, CPR Eca

Halogen-free electronic cables

ELITRONIC®-CH LIHCH	DIN47100, 250V, shielded, CPR Eca
PAARTRONIC®-CH LIHCH (TP)	DIN47100, 250V, twisted pairs, shielded, CPR Eca

Electronic and control cables for intrinsically safe circuits

ELITRONIC®-OZ-CY LIYCY-OZ EB	300/500V, shielded, blue
PAARTRONIC®-CY LIYCY (TP) EB	DIN47100, 250V, shielded, twisted pairs, blue

Approved electronic and data cables

ELITRONIC®-CY LIYCY UL/CSA	DIN47100 or IEC, 300V, shielded, UL/CSA
PAARTRONIC®-CY LIYCY (TP) UL/CSA	DIN47100 or IEC, 300V, shielded, twisted pairs, UL/CSA
DATATRONIC®-CY UL/CSA	DIN47100, 250V, 300V, shielded, twisted pairs, UL/CSA, AWG

Low-capacity data cables

DATEX-CY LI2YCY (TP) / DATEX-CYv + UV LI2YCYv (TP)	DIN47100, 250V, shielded, twisted pairs
DATEX-PIMF-CY LI2YCY-PIMF	DIN47100, 250V, shielded, pairs in metal foil



“ “

*State-of-the-art
cables that deliver
extreme
performance.*

BUS | FIELDBUS technology - for industrial, process & building automation**PROFIBUS DP / FMS / FIP 150 Ohm & PROFIBUS PA 100 Ohm**

PROFIBUS DP / FMS / FIP 150 Ohm

fixed installation & limited flexible applications, UL/CSA,
available acc. to CPR Eca and DcaPROFIBUS DP / FMS / FIP 150 Ohm - HF
PROFIBUS PA 100 Ohmfor high flexible applications (drag chain, robotic & festoon) UL/CSA
fixed installation & limited flexible applications, UL/CSA,**MULTIBUS & INTERBUS 100 - 120 Ohm**

MULTIBUS & INTERBUS 100 - 120 Ohm

fixed installation & limited flexible applications, UL/CSA,

MULTIBUS & INTERBUS 100 - 120 Ohm - HF

for high flexible applications (drag chain) UL/CSA

CAN BUS - ControllerAreaNetwork 120 Ohm

CAN BUS - ControllerAreaNetwork 120 Ohm

fixed installation & limited flexible applications, UL/CSA,CAN BUS -

ControllerAreaNetwork 120 Ohm

for high flexible applications (drag chain) UL/CSA

DeviceNet 120 Ohm

DeviceNet 120 Ohm

fixed installation & limited flexible applications, UL/CSA,

DeviceNet 120 Ohm - HF

for high flexible applications (drag chain) UL/CSA

Foundation Fieldbus 100 Ohm

Foundation Fieldbus 100 Ohm

fixed installation & limited flexible applications, UL/CSA,

ASi-BUS Aktor Sensor Interface

ASi-BUS Aktor Sensor Interface

fixed installation & limited flexible applications, UL/CSA,ASi-BUS

Aktor Sensor Interface - HF

for high flexible applications (drag chain) UL/CSA

SafetyBUS 100 - 120 Ohm

SafetyBUS 100 - 120 Ohm

fixed installation & limited flexible applications, UL/CSA,

LAN | ETHERNET-Technology - for structured industry & building cabling**LAN | ETHERNET-Technologie - structured industry cabling**

PROFINET Cat.5e

for fixed installation, limited flexible & flexible use, UL/CSA,
different CPR versions available

PROFINET Cat.5e - HF

for high flexible applications (drag chain, robotic & festoon)
UL/CSA, CPR Eca version available

INDUSTRIAL ETHERNET Cat.5e - Cat.7A

for fixed installation, limited flexible & flexible use, UL/CSA,
different CPR versions available

INDUSTRIAL ETHERNET Cat.5e - Cat.7A - HF

for high flexible applications (drag chain, robotic & festoon)
UL/CSA, CPR Eca version available

INDUSTRIAL ETHERNET Cat.5e - Cat.7A - Spezial

for fixed installation, special applications, fire resistant

SPE - Single Pair Ethernet

for fixed installation, limited flexible & flexible use, UL/CSA

SPE - Single Pair Ethernet - HF

for high flexible applications (drag chain, robotic & festoon)
UL/CSA,

INDUSTRIAL EtherCAT

for fixed installation, limited flexible & flexible use, UL/CSA

FO BUS-Technology - optical data transmission for industrial and building automation

POF - SIMPLEX, DUPLEX & BUS

for fixed installation, limited flexible & flexible use, UL/CSA

Control and data cables – high flexible – for use in drag chains & robotic applications

KAWEFLEX® Control cables for use in drag chains

for light to medium requirements

KAWEFLEX® 6100 ECO SK-PVC UL/CSA	300/500V, unshielded, UL/CSA
KAWEFLEX® 6200 ECO SK-C-PVC UL/CSA	300/500V, shielded, UL/CSA

for normal requirements

KAWEFLEX® 6110 SK-PVC UL/CSA	300/500V, unshielded, UL/CSA
KAWEFLEX® 6110 TRAY SK-PVC UL/CSA	300/500V, unshielded, UL/CSA
KAWEFLEX® 6210 SK-C-PVC UL/CSA	300/500V, shielded, UL/CSA
KAWEFLEX® 6210 TRAY SK-C-PVC UL/CSA	300/500V, shielded, UL/CSA

for higher requirements

KAWEFLEX® 6120 SK-PUR UL/CSA	300/500V, unshielded, UL/CSA
------------------------------	------------------------------

for high requirements

KAWEFLEX® 6130 SK-PUR UL/CSA	0,6/1kV, unshielded, halogen-free, UL/CSA
KAWEFLEX® 6230 SK-C-PUR UL/CSA	0,6/1kV, shielded, halogen-free, UL/CSA

KAWEFLEX® Electronic cables for use in drag chains

for normal requirements

KAWEFLEX® 6310 SK-PVC UL/CSA	DIN47100, 300V, unshielded, UL/CSA
KAWEFLEX® 6410 SK-C-PVC UL/CSA	DIN47100, 300V, shielded, UL/CSA
KAWEFLEX® 6510 SK-TP-C-PVC UL/CSA	DIN47100, 300V, twisted pairs, shielded, UL/CSA

for high requirements

KAWEFLEX® 6330 SK-PUR UL/CSA	DIN47100, 300V, unshielded, halogen-free, UL/CSA
KAWEFLEX® 6430 SK-C-PUR UL/CSA	DIN47100, 300V, shielded, halogen-free, UL/CSA
KAWEFLEX® 6530 SK-TP-C-PUR UL/CSA	DIN47100, 300V, twisted pairs, shielded, halogen-free, UL/CSA

KAWEFLEX® Allround Control cables for use in drag chains

for higher requirements

KAWEFLEX® Allround 7110 SK-PVC UL/CSA	300/500V, unshielded, UL/CSA
KAWEFLEX® Allround 7210 SK-C-PVC UL/CSA	300/500V, shielded, UL/CSA

for high requirements

KAWEFLEX® Allround 7130 SK-PUR UL/CSA	0,6/1kV, unshielded, halogen-free, UL/CSA
KAWEFLEX® Allround 7230 SK-C-PUR UL/CSA	0,6/1kV, shielded, halogen-free, UL/CSA

for highest requirements

KAWEFLEX® Allround 7140 SK-TPE UL/CSA	0,6/1kV, unshielded, UL/CSA
KAWEFLEX® Allround 7240 SK-C-TPE UL/CSA	0,6/1kV, shielded, UL/CSA

KAWEFLEX® Allround Electronic cables for use in drag chains

KAWEFLEX® Allround 7710 SK-TP-C-PVC UL/CSA	for higher requirements, 300V, shielded, UL/CSA
KAWEFLEX® Allround 7720 SK-TP-C-PUR UL/CSA	for high requirements, 300V, shielded, halogen-free, UL/CSA
KAWEFLEX® Allround 7730 SK-TP-C-TPE UL/CSA	for highest requirements, 300V, shielded, UL/CSA

KAWEFLEX® KINEMATICS® 3D Control & Electronic robotic cables for torsional stress

for bending and torsion applications

KAWEFLEX® KINEMATICS® 3D Control & Power 0,6/1kV UL/CSA	0,6/1kV, unshielded, halogen-free, UL/CSA
KAWEFLEX® KINEMATICS® 3D Data UL/CSA	DIN47100, 300V, unshielded, halogen-free, UL/CSA

Servo-drives, measurement & system cables - flexible & high flexible - for use in drag chains and robot applications

Cables for servo-drives 0,6/1kV

KAWEFLEX® SERVO 2YSL(St)CY... & 2YSL(St)CYK
KAWEFLEX® SERVO 2XSL(St)CY... & 2XSL(St)CYK

0,6/1kV, EMC optimized, double shielded, K: UV-resistant
0,6/1kV, EMC optimized, double shielded, K: cold flexible,
UV-resistant

KAWEFLEX® SERVO 9YSL(St)CY...VFD

0,6/1kV, EMC optimized, double shielded, BK: UV-resistant,
direkt burial, UL/CSA, CPR Eca

KAWEFLEX® SERVO 2XSL(St)CYK...VFD TRAY

0,6/1kV, EMC optimized, double shielded, K: cold flexible,
UV-resistant, direkt burial, UL/CSA, CPR Eca

KAWEFLEX® SERVO 2XSL(St)CHK...FRNC

0,6/1kV, EMC optimized, double shielded, halogen-free,
K: cold flexible, UV-resistant, CPR Cca

KAWEFLEX® 5 Series – Cables for servo-drives 0,6/1kV for flexible applications

KAWEFLEX® 5268 C-PVC SERVO
KAWEFLEX® 52DSL C-PVC

0,6/1kV, shielded, UL/CSA, acc. MC500
0,6/1kV, shielded, DSL Hybrid, UL/CSA

for drag chain applications

KAWEFLEX® 5178 SC SK-PVC
KAWEFLEX® 5278 SC SK-C-PVC
KAWEFLEX® 5278 SK-C-PVC SERVO
KAWEFLEX® 5288 SK-C-PUR SERV
KAWEFLEX® 52DSL SK-C-PUR

0,6/1kV, single core, unshielded, UL/CSA
0,6/1kV, single core, shielded, UL/CSA
0,6/1kV, shielded, UL/CSA, acc. MC500PLUS
0,6/1kV, shielded, UV-resistant, UL/CSA, acc. MC800PLUS
0,6/1kV, shielded, DSL Hybrid, UV-resistant, UL/CSA

KAWEFLEX® 5 Series – Measurement & System cables (feedback, encoder, resolver, speedo sensor, signal) for flexible applications

KAWEFLEX® 5468 C-PVC

300V, shielded, UL/CSA, acc. MC500

for drag chain applications

KAWEFLEX® 5488 SK-C-PUR

300V, shielded, halogen-free, UV-res., UL/CSA acc. MC800PLUS

KAWEFLEX® ServoDriveQ UL/CSA - cables for DRIVE-CLiQ applications

for fixed installation & flexible applications

KAWEFLEX® ServoDriveQ C-PVC
KAWEFLEX® ServoDriveQ FLEX-C-PVC

300V, shielded, UL/CSA, acc. MC5200
300V, shielded, UL/CSA, acc. MC500

for drag chain applications

KAWEFLEX® ServoDriveQ Plus SK-C-PUR

300V, shielded, halogen-free, UV-res., UL/CSA, acc. MC800PLUS

KAWEFLEX® Allround Motor cables 0,6/1kV for use in drag chains

for increased requirements

KAWEFLEX® Allround 7310 SK-PVC
KAWEFLEX® Allround 7410 SK-C-PVC

0,6/1kV, unshielded, UL/CSA
0,6/1kV, shielded, UL/CSA

for highest requirements

KAWEFLEX® Allround 7510 SK-TPE (NATURAL)
KAWEFLEX® Allround 7520 SK-TPE (GNYE)
KAWEFLEX® Allround 7610 SK-C-TPE (NATURAL)
KAWEFLEX® Allround 7320 SK-TPE
KAWEFLEX® Allround 7420 SK-C-TPE

0,6/1kV, single core, unshielded, halogen-free, UV-res., UL/CSA
0,6/1kV, single core, unshielded, halogen-free, UV-res., UL/CSA
0,6/1kV, single core, shielded, halogen-free, UV-res., UL/CSA
0,6/1kV, unshielded, halogen-free, UV-res., UL/CSA
0,6/1kV, shielded, halogen-free, UV-res., UL/CSA

KAWEFLEX KINEMATICS® 3D Servo, MeSys & Hybrid robotic cables for torsional stress

for bending and torsion applications

KAWEFLEX KINEMATICS® 3D Servo
KAWEFLEX KINEMATICS® 3D Measure & System cable
KAWEFLEX KINEMATICS® 3D Hybrid

0,6/1kV, shielded, halogen-free, UV-res., UL/CSA
300V, shielded, halogen-free, UV-res., UL/CSA
0,6/1kV, shielded elements, halogen-free, UV-res., UL/CSA

07

Rubber cables

Heavy rubber-sheathed flexible cables

H07RN-F, A07RN-F

450/750V, unshielded, HAR, CPR Eca

H07RN-F PREMIUM

450/750V, +90 °C, unshielded, halogen-free, HAR, CPR Eca

Welding cables

H01N2-D, H01N2-E

100V, unshielded, HAR

09

Cables and wires for fixed installation

PVC-insulated wiring cables

LIYvz, H05V-K, H07V-K

300/500V, 450/750V, Hook-up wires, HAR, CPR Eca

PVC-insulated wiring cables with UL/CSA approval

Multinorm H05V2-K, H07V2-K

300/500V, 450/750V, Hook-up wires, HAR,UL/CSA, CPR Eca

Wire

300V, 600V, Hook-up wires, UL/CSA

Halogen-free wiring cables

LIHvz, H05Z-K, H07Z-K

300/500V, 450/750V, Hook-up wires, CPR Eca

Installation cable

NYM

300/500V, CPR Eca

Halogen-free installation cable

NHXMH

300/500V, CPR Dca

High voltage cables

NYY 0,6/1kV

0,6/1kV, UV-resistant, direct burial, VDE, CPR Eca

NYCY 0,6/1kV

0,6/1kV, shielded, UV-resistant, direct burial, VDE, CPR Eca

NYCWY 0,6/1kV

0,6/1kV, shielded, UV-resistant, direct burial, VDE, CPR Eca

NAYY 0,6/1kV

0,6/1kV, AL-conductor, UV-resistant, direct burial, VDE, CPR Eca



Service

Benefit from outstanding logistics services.

Our state-of-the-art and fully automated logistics centre in Nettetal and our logistics centres in the Netherlands, Poland, Italy and China ensure high availability of goods and fast delivery.

Our logistics – your advantage



Fully automated
Central warehouse



Drum types (disposable,
treated, untreated
in all sizes)



Rings
(All lengths, welded
in foil or blanco)



Customer markings



"Speed"
Deliveries



Site delivery



track & trace



Cladding with Lamiflex
or wood




Special packaging



Ecologically compostable
filling material





**For the right choice of your cable
our product finder will help you:**



TKD CONNECTivity

Cable assembly, spiral cable, ready for connection cable and energy drag chain system

Cabling systems are the decisive basis for reliable operational processes – whether in mechanical engineering, automation technology, telecommunications or the chemical industry; whether in tank installations, in the audio, video and broadcasting sector or in security technology. Pre-assembled and ready-to-connect cable solutions from TKD help you to complete projects much more quickly and cost-effectively

With our innovative solution concepts divided into 4 areas **STANDARD**, **INDIVIDUAL**, **SERVICES** and **ADVANCED** you are also optimally positioned for all challenges.

STANDARD

- TKD CONNECT servo assemblies
- TKD CONNECT spiral cable
- TKD CONNECT network technology
- TKD CONNECT power connection cables

INDIVIDUAL

Customized solutions

SERVICES

- Logistics
- KanBan, Printing, Kitting
- Product development
- Product design
- Special packaging

ADVANCED

- Cable sets
- Cable harnesses
- Assemblies
- Woven ribbon cable
- Energy drag chain systems



TKD CONNECTivity

Service portfolio **Individual** & **Advanced**

CRIMP

SOLDERING

ULTRASONIC
VERDICT

WRAPPING

ASSEMBLY
WORK

CABLESETS

SPIRALIZATION


KITTING

STRIPPING

PARTIAL
STRIPPING

INDIVIDUAL
LENGTHS

WOVEN
TECHNOLOGY



TKD worldwide

Industries

Our companies are active in a broad selection of industries. Contact us to discuss our custom solutions for your specific industry.

- Machine building
- Industrial automation
- Energy
- Marine & offshore
- Automotive
- Public infrastructure
- Agriculture
- Lifts and escalators
- Transportation infrastructure
- Cranes & material handling
- Train, tram and metro industry
- Telecommunication and datacentres
- Food & beverage





TKDE
an INFINIT@ brand

About Infinite Electronics

Infinite Electronics has a global portfolio of leading in-stock connectivity solution brands. Infinite's brands help propel the world's innovators forward by working urgently to provide products, solutions, and real-time support for their customers.

Backed by Warburg Pincus, Infinite's brands serve customers across a wide range of industries with a broad inventory selection, same-day shipping and 24/7 customer service. Learn more at infiniteelectronics.com.

TKD Kabel GmbH

An der Kleinbahn 16

41334 Nettetal

Phone +49 (0) 2157 8979-0

E-Mail info@tkd-kabel.de

www.tkd-kabel.de